

## REFERENCES BIBLIOGRAPHIQUES FORMATION 10 NOVEMBRE 2023 LAFOND C.

- AGUIRRE, B., J. HOBBS, ET AL. (2014). Working with the parents of children and adolescents with BPD. Handbook of borderline personality disorder in children and adolescents. C. S. J. L. Tackett. New York, NY, US, Springer Science + Business Media: 403-414.
- AMERICAN PSYCHIATRIC ASSOCIATION. (2013). Diagnostic and statistical manual of mental disorders (5th ed.). Arlington, VA: American Psychiatric Publishing.
- AMMANITI, M., A. FONTANA, ET AL. (2015). "Borderline personality disorder in adolescence through the lens of the Interview of Personality Organization Processes in Adolescence (IPOP-A): Clinical use and implications." *Journal of Infant, Child & Adolescent Psychotherapy* 14(1): 82-97.
- BAPTISTA A, CHAMBON V, HOERTEL N, OLFSON M, BLANCO C, COHEN D, JACQUET PO. Associations Between Early Life Adversity, Reproduction-Oriented Life Strategy, and Borderline Personality Disorder. *JAMA Psychiatry*. 2023 Jun 1
- BAUDRY, C., PEARSON, J., MASSÉ, L., OUELLET, G., BÉGIN, J.-Y., COUTURE, C., GILBERT, E., SLATER, E., & BURTON, K. (2021). Adaptation psychosociale et santé mentale des jeunes vivant en contexte de pandémie lié à la COVID-19 au Québec, Canada. Données descriptives et préliminaires [Psychosocial adaptation and mental health of young people living in the context of a COVID-19 pandemic in Quebec, Canada. Descriptive and preliminary data]. *Canadian Psychology / Psychologie canadienne*, 62(1), 80–91.
- BÉLISLE, M.-C., (2005), Thérapie familiale avec des parents porteurs de personnalité limite ou narcissique, *Défi jeunesse*, 12, 14-29.
- BENOIT, J. & MORO, M. (2016). Évolution des états limites de l'adolescence à l'âge adulte. *L'information psychiatrique*, 92, 137-142.
- BERTELLI, C., BÉLISLE, M.-C., (2004), Intervention de crise chez les patients aux prises avec un trouble de personnalité limite : Partie 2 : Thérapies systémique et familiale, *Santé mentale au Québec*, 29, 1, 253-266.
- BIEGEL, D., ROBINSON, E. KENNEDY, M.A. (2000) A review of empirical studies of interventions for families of persons with mental illness. *Research in Community and Mental Health*; 11: 87-130
- BIEGEL, DE, SHAFRAN, RD, JOHNSEN, JA (2004). Facilitators and barriers to support group participation for family caregivers of adult mental illness. *Community Ment Healt J. Apr*; 40(2): 151-166
- BLAY M, COHEN S, JAN M, PERROUD N, SPERANZA M, CHARBON P. Pour une cohabitation pragmatique des modèles théoriques et cliniques : l'exemple du « Good Psychiatric Management » dans le traitement du trouble de personnalité borderline [Towards a pragmatic cohabitation of theoretical and clinical models: The example of "Good Psychiatric Management" in the treatment of borderline personality disorder]. *Encephale*. 2023 Apr 21:
- BLUM, N. AND BLACK, D.W.(2008) 'Systems Training for Emotional Predictability and Problem Solving (STEPPS) for the Treatment of BPD', *Social Work in Mental Health*, 6: 1, 171 — 186
- BREAUX R, CASH AR, LEWIS J, GARCIA KM, DVORSKY MR, BECKER SP. Impacts of COVID-19 quarantine and isolation on adolescent social functioning. *Curr Opin Psychol*. 2023 Jun 1;52:101613.
- BRINKLEY, D. Y., R. A. ACKERMAN, ET AL. (2017). "Sending and Receiving Text Messages with Sexual Content: Relations with Early Sexual Activity and Borderline Personality Features in Late Adolescence." *Comput Human Behav* 70: 119-130.
- CAILHOL, L., GICQUEL, L. & RAYNAUD, J.-P. (2015). Borderline personality disorder. In I.A.f.C.a.A.P.a. A. Professions (Ed.), *IACAPAP e-Textbook of Child and Adolescent Mental Health (Édition en français; Cohen D, ed.)*. Geneva

- CHANEN A, SHARP C, HOFFMAN P: Prevention and early intervention for borderline personality disorder: a novel public health priority. *World Psychiatry* 2017, 16:215-216.
- CHANEN, A. Borderline personality disorder is not a variant of normal adolescent development. *Personality and Mental Health* 11:147-149 (2017)
- CHANEN, A. M., JACKSON, H. J., MCCUTCHEON, L. K., JOVEV, M., DUDGEON, P., YUEN, H. P., MCGORRY, P. D. (2008). Early intervention for adolescents with borderline personality disorder using cognitive analytic therapy: randomised controlled trial. *Br J Psychiatry*, 193(6), 477-484.
- CHANNON S, HUWS-THOMAS MV, GREGORY JW, ROLLNICK S. Motivational interviewing in teenagers with diabetes. *Clinical Child Psychology Psychiatry*. 2005;10(1):43-51
- COUREY L, HYNDMAN D, SHEASGREEN C, MCCAY E. What we know - and want to know - about Family Connections: a review from the perspective of lived experience. *Curr Opin Psychol*. 2021 Feb;37:44-48.
- CRAMER, P. (2017). "Childhood precursors of the narcissistic personality." *Journal of Nervous and Mental Disease* 205(9): 679-684.
- CRICK NR, MURRAY-CLOSE D, WOODS K. Borderline personality features in childhood: a short-term longitudinal study. *Dev Psychopathol*. 2005 Fall
- D'AUTEUIL, S ET LAFOND, C. (2006) *Vivre avec un proche impulsif, intense, instable*. Editions Bayard, 148 pages
- DALY, A. M., LLEWELYN, S., MCDOUGALL, E., & CHANEN, A. M. (2010). Rupture resolution in cognitive analytic therapy for adolescents with borderline personality disorder. *Psychol Psychother*, 83(Pt 3), 273-288.
- DAVIS, D. D. AND J. S. BECK (2015). The therapeutic alliance with patients with personality disorders. *Cognitive therapy of personality disorders* (3rd ed.). A. T. Beck, D. D. Davis and A. Freeman. New York, NY, US, Guilford Press: 125-139
- DESSEILLES, M. GROSJEAN, B ET PERROUD, N. (2014) *Manuel du borderline*. Editions EYROLLE, 246 pages
- D'HUART D, SEKER S, BÜRGIN D, BIRKHÖLZER M, BOONMANN C, SCHMID M, SCHMECK K. The stability of personality disorders and personality disorder criteria: A systematic review and meta-analysis. *Clin Psychol Rev*. 2023 Jun;102:102284.
- DUBÉ, G., TERRADAS, M. M. & ARSENAULT, S. (2015). L'enfant borderline en devenir II : validation préliminaire de l'Échelle de traits de personnalité limite pour enfants. *Santé mentale au Québec*, 40(3), 245-267.
- ENSINK, K., M. BIBERDZIC, ET AL. (2015). "A developmental psychopathology and neurobiological model of borderline personality disorder in adolescence." *Journal of Infant, Child & Adolescent Psychotherapy* 14(1): 46-69.
- EYDEN J, WINSPEER C, WOLKE D, BROOME MR, MACCALLUM F. A systematic review of the parenting and outcomes experienced by offspring of mothers with borderline personality pathology: Potential mechanisms and clinical implications. *Clin Psychol Rev*. 2016 Jul;47:85-105
- FLEISCHHAKER, C., BÖHME, R., SIXT, B., BRÜCK, C., SCHNEIDER, C., SCHULZ, E. (2011). Dialectical Behavioral Therapy for Adolescents (DBT-A): A clinical Trial for Patients with suicidal and self-injurious Behavior and Borderline Symptoms with a one-year Follow-up. *Child and Adolescent Psychiatry and Mental Health*, 5, 3.
- GAGNON, P. (1993) Le rôle de la famille dans le développement du trouble de la personnalité limite. *Revue canadienne de psychiatrie*, vol 38, p. 611-616
- GICQUEL L, PHAM-SCOTTEZA, ROBIN M ET AL (2011). [Etats limites à l'adolescence: diagnostic et clinique]. *Neuropsychiatrie de l'Enfance et de l'Adolescence*, 59:316-322.

- GLENN, C. R., KLONSKY, E. D. (2013). Nonsuicidal self-injury disorder: An empirical investigation in adolescent psychiatric patients. *Journal of Clinical Child & Adolescent Psychology*, 42, 496-507.
- GLICK, I.D. and LORASS, E.L. (2001) Family Treatment of borderline personality disorder. in *Family Therapy and mental health*. Malcolm MacFarlane. pages. 135-235
- GOLDMAN, S. J., D'ANGELO, E. J., & DEMASO, D. R. (1993). Psychopathology in the families of children and adolescents with borderline personality disorder. *The American Journal of Psychiatry*, 150(12), 1832-1835.
- GUILLÉN V, FONSECA-BAEZA S, FERNÁNDEZ-FELIPE I, BOTELLA C, BAÑOS R, GARCÍA-PALACIOSA, MARCO JH. Effectiveness of family connections intervention for family members of persons with personality disorders in two different formats: Online vs face-to-face. *Internet Interv*. 2022 Apr 2;28:100532.
- GUILLÉN V, MARCO H, FONSECA-BAEZA S, FERNÁNDEZ I, JORQUERA M, CEBOLLA A, BAÑOS R. Mindfulness Component in a Dialectical Behavioural Therapy Group Intervention for Family Members of Borderline Personality Disorder Patients. *Psicothema*. 2022 Aug;34(3):392-401.
- HA, C., SHARP, C., ENSINK, K., FONAGY, P., CIRINO, P. (2013). The measurement of reflective function in adolescents with and without borderline traits. *Journal of Adolescence*, 36, 1215-1223.
- HAWLEY KM, WEISZ JR. Child, parent, and therapist (dis)agreement on target problems in outpatient therapy: the therapist's dilemma and its implications. *J Consult Clin Psychol*. 2003 Feb;71(1):62-70
- HAWLEY, K. M., & GARLAND, A. F. (2008). Working alliance in adolescent outpatient therapy: Youth, parent and therapist reports and associations with therapy outcomes. *Child & Youth Care Forum*, 37(2), 59-74
- HOFFMAN PD, FRUZZETTI AE, BUTEAU E, NEIDITCH ER, PENNEY D, BRUCE ML, HELLMAN F, STRUENING E. Family connections: a program for relatives of persons with borderline personality disorder. *Fam Process*. 2005 Jun;44(2):217-25.
- HOFFMAN, P. D., & FRUZZETTI, A. E. (2005). Family interventions for borderline personality disorder. In M. C. Zanarini (Ed.), *Borderline personality disorder*. New York: Marcel Dekker
- HOFFMAN, P.D. & FRUZZETTI, A.E. (2007) Advances in Interventions for families with a relative with a personality disorder diagnosis. *Curr psyc rep* 9:68-73
- HOFFMAN, P.D. , FRUZZETTI, A.E. AND BUTTEAU, E. (2007) Understanding and engaging families: An Education, Skills ans Support Program for relatives impacted by Borderline Personality Disorder. *Journal of mental Health*. Feb; 16(1) 69-82 Kramer, U. (2015). "De la régulation à l'approfondissement de l'affect en psychothérapie: L'exemple du trouble de la personnalité borderline." *Annales Medico-Psychologiques* 173(1): 60-65.
- ILAGAN GS, CHOI-KAIN LW. General psychiatric management for adolescents (GPM-A) with borderline personality disorder. *Curr Opin Psychol*. 2021 Feb;37:1-6.
- LANFREDI M, DAGANI J, GEVITIA, DI COSIMO F, BUSSOLATI M, RILLOSI L, ALBINI D, PIZZI M, GHIDONI R, FAZZI E, VITA A, ROSSI R. Risk and protective factors associated with mental health status in an Italian sample of students during the fourth wave of COVID-19 pandemic. *Child Adolesc Psychiatry Ment Health*. 2023 Jun 26;17(1):78.
- LAPORTE, L. (2007) Un défi de taille pour les centres jeunesse. Intervenir auprès des parents ayant un trouble de personnalité limite. *Santé mentale au Québec*, vol. 32, n° 2, 2007, p. 97-114.
- LE GOFF, JF. (2005). Thérapeutique de la parentification : vue d'ensemble. *Thérapie familiale*, Genève, Vol 26, no 3. pp285-298
- LEE SSM, KENG SL, YEO GC, HONG RY. Parental invalidation and its associations with borderline personality disorder symptoms: A multivariate meta-analysis. *Personal Disord*. 2021 Nov 11.

- LEMOS VASCONCELLOS, S. J., R. SALVADOR-SILVA, ET AL. (2014). "Psychopathic traits in adolescents and recognition of emotion in facial expressions." *Psicologia: Reflexão e Crítica* 27(4): 768-774.
- LEREYA, S. T., C. WINSPEER, ET AL. (2017). "Sleep Problems in Childhood and Borderline Personality Disorder Symptoms in Early Adolescence." *Journal of Abnormal Child Psychology* 45(1): 193-206
- LINEHAN, M. M. (1993). *Cognitive-behavioral treatment of borderline personality disorder*. Guilford Press.
- LINKS, P. HY., STOCKWELL M. (2001) Is couple therapy indicated for bpd? *American journal of psychotherapy*. Vol 55, ISS 4; pg 491
- MARCO S, MAYORAL M, HERVÁS G. Dialectical Behavioral Skills Group Therapy for Parents of Adolescents With Borderline Personality Disorder: A Pilot Study. *Clin Child Psychol Psychiatry*. 2023 Jun 2
- MARTELLA M, PEANO A, POLITANO G, ONORATI R, GIANINO MM. Paediatric hospitalizations over three waves of COVID-19 (February 2020 to May 2021) in Italy: determinants and rates. *PeerJ*. 2023 Jun 23
- MASTERSON, J., (1972) *Treatment of the Borderline Adolescent*, John Wiley and Sons, New York.
- MCLEAN, P.D. AND MILLER, L. (2001) Treatment of suicidal clients and their families in *Family Therapy and mental health*. *Malcolm MacFarlane*. pages. 237- 260
- MEHLUM, L., TØRMOEN, A. J., RAMBERG, M., HAGA, E., DIEP, L. M., LABERG, S., . . .GRØHOLT, B. (2014). Dialectical behavior therapy for adolescents with repeated suicidal and self-harming behavior: A randomized trial. *Journal of the American Academy of Child & Adolescent Psychiatry*, 53, 1082-1091.
- MILLE C, BOUDAILLIEZ B, GARNY DE LA RIVIÈRE S. Covid-19 et adolescence : constats cliniques et réflexions psychopathologiques à propos de quelques incidences immédiates ou différées [Covid-19 and adolescence: Clinical findings and psychopathological thoughts about some immediate or differed impacts]. *Neuropsychiatr Enfance Adolesc*. 2023 Jun;71(4):201-208.
- NODIN, L. ET ENSINK, K. (2007) La GAC 1 : grille d'analyse du contre-transfert dans le traitement des troubles graves de la personnalité. *Santé mentale au Québec*, vol. 32, n° 1,p. 57-74.
- OPPENHEIM Daniel, « Comment aider les enfants et les adolescents à traverser l'expérience de la Covid-19 ? », *Empan*, 2023/1 (n° 129), p. 130-139
- PAGE, D (2006) *Borderline, retrouver son équilibre*. Editions Odile Jacob, 237 p.
- PARÉ-MIRON, V. (2010). La perception des thérapeutes sur les difficultés d'intervenir auprès des adolescents atteints d'un trouble de personnalité limite avec conduites suicidaires (Université de Montréal, Montréal).
- PERRY MF. Confidential Telehealth Care for Adolescents: Challenges and Solutions Identified During the COVID-19 Pandemic. *Curr Pediatr Rep*. 2023 Jun 12:1-8.
- PRADA P, GUENOT F, CHARBON P, KOLLY S, PERROUD N. Thérapies actuelles du trouble de personnalité borderline [Current therapies of borderline personality disorder]. *Rev Med Suisse*. 2015 Sep 16
- REUTER, T. R., SHARP, C., KALPAKCI, A. H., CHOI, H. J., TEMPLE, J. R. (2015). Sexual orientation and borderline personality disorder features in a community sample of adolescents. *Journal of Personality Disorders*, 29, 1-14.
- ROSSOUW TI, FONAGY P: Mentalization-based treatment for selfharm in adolescents: a randomized controlled trial. *J Am Acad Child Adolesc Psychiatry* 2012, 51:1304-1313.
- SHARP C, FONAGY P: Practitioner review: borderline personality disorder in adolescence-recent conceptualization, intervention, and implications for clinical practice. *J Child Psychol Psychiatry* 2015, 56:1266-1288.
- SHINER, R. L., & ALLEN, T. A. (2013). Assessing personality disorders in adolescents: Seven guiding principles. *Clinical Psychology: Science and Practice*, 20, 361–377

- SPERANZA M, REVAH-LEVY A, CORTESE S ET AL (2011). ADHD in adolescents with borderline personality disorder. *BMC Psychiatry*, 11:158.
- STEELE, M., J. BATE, ET AL. (2015). "Attachment in adolescence and borderline personality disorder." *Journal of Infant, Child & Adolescent Psychotherapy* 14(1): 16-32.
- STEFANATOU P. Group psychotherapy for parents of patients with borderline personality disorder: Basic assumptions and group's containing function. *Psychiatriki*. 2022 Apr 27.
- STEPP SD, LAZARUS SA. Identifying a borderline personality disorder prodrome: Implications for community screening. *Persona & Mental Health* 2017; 11: 195–205.5.
- SUTHERLAND R, BAKER J, PRINCES. Support, interventions and outcomes for families/carers of people with borderline personality disorder: A systematic review. *Personal Ment Health*. 2020 May;14(2):199-214.
- SWIFT, J. K., & GREENBERG, R. P. (2012). Premature discontinuation in adult psychotherapy: A meta-analysis. *Journal of Consulting and Clinical Psychology*. Advance online publication. doi:10.1037/a0028226
- SZAPOCZNIK, J. and PRADO, G (2007). Negative effects on family Functioning from psychosocial treatments: a recommendation for expanded safety monitoring. *Journal of family psychology*, Vol.21. No3. 468-478
- TAVANOS, CAINIS, SFORZI I, SILVESTRI C, VOLLER F, PISANO T. Mental Health of Children and Adolescents before and during the COVID-19 Pandemic: How Did the Lockdown Modify Psychiatric Emergencies in Tuscany, Italy? *J Clin Med*. 2023 Jun 20;12(12)
- THOMPSON, K. N., J. BETTS, ET AL. (2017). "Sexuality and sexual health among female youth with borderline personality disorder pathology." *Early Interv Psychiatry*.
- TRAGESSE, S. L., SOLHAN, M., SCHWARTZ-METTE, R., TRULL, T. J. (2007). The role of affective instability and impulsivity in predicting future BPD features. *Journal of Personality Disorders*, 21, 603-614.
- TURGEON, LYSE, ET AL. "Évolution de la santé psychologique d'étudiantes en psychoéducation pendant la pandémie liée à la COVID-19: le rôle du soutien social et des stratégies d'adaptation." *Revue de psychoéducation*, volume 52, number 1, 2023, p. 158–189.
- VILAREGUT A, ROCA M, FERRER M, PRETEL-LUQUE T, CALVO N. Exploring the psychological impact of COVID-19 on adolescents with borderline personality disorder and their mothers: A focus group study. *Clin Child Psychol Psychiatry*. 2022 Jan;27(1):157-176.
- VOGEL AC, GESELOWITZ B, TILLMAN R, BARCH DM, LUBY JL, WHALEN DJ. Developmental trajectories of anger and sadness dysregulation in childhood differentially predict later borderline symptoms. *Dev Psychopathol*. 2023 Jun 21:1-16
- WANG JK, XUE HQ, WU XF. Mental health and academic achievement among Chinese adolescents during COVID-19 pandemic: The mediating role of self-regulation learning. *Soc Psychol Educ*. 2023 Mar 27:1-15.
- WINSPEER, C., S. MARWAHA, ET AL. (2015). "Clinical and psychosocial outcomes of borderline personality disorder in childhood and adolescence: a systematic review." *Psychol Med*: 1-15.
- WRIGHT AG, ZALEWSKI M, HALLQUIST MN, HIPWELL AE, STEPP SD: Developmental trajectories of borderline personality disorder symptoms and psychosocial functioning in adolescence. *J Pers Disord* 2016, 30:351-372.